



Chapter II

Semantic Web





The Semantic Web

- is a concept by Tim Berners-Lee to extend the world wide web with machine-readable data describing the semantics of the content
- the idea is to extend human-readable data with additional information (meta data) that can be interpreted by a machine, so inquiries can be processed according to their meaning, rather than their spelling
- to create these additional data and to implement a semantic web, several methods can be used
 - taxonomies
 - thesauri
 - resource description frameworks
 - ontologies
 - topic maps



Semantic Web – Examples (I)

- FOAF – Friend of a Friend
 - is a project to model a machine-readable social network
 - a FOAF document contains information about a person (such as name, age, gender, addresses (website, weblog, home...), messenger-id...) and other people this person knows
 - the documents then refer to each other and can be analysed by a software, which is then able to visualise the details and the social structure
 - FOAF uses RDF
 - the project: <http://www.foaf-project.org/>
 - the specification: <http://xmlns.com/foaf/0.1/>



Semantic Web – Examples (II)

- DOAC – Description of a Career
 - is a project to describe the curriculum of a person in machine-readable form
 - a DOAC document contains information about the skills of a person (such as education, spoken languages, experiences, previous jobs, drivers license)
 - it is compatible with the European Union Europass Curriculum (see <http://europass.cedefop.europa.eu/>)
 - DOAC uses RDF
 - project: <http://ramonantonio.net/doac/>
 - specification: <http://ramonantonio.net/doac/0.1/>



Semantic Web – Examples (III)

- SemanticGov
 - is a project of an international consortium, sponsored by the European Union, to improve the administration of the EU (e.g. the co-operation between authorities)
 - the project duration is 36 months (01.01.2006 – 31.12. 2008), the budget is around 4.37 billion euros
 - project: <http://www.semantic-gov.org/>



Meta Data

- data containing information about other data (the latter mostly a larger amount of data)
- are used to describe information resources
 - to improve their discovering
 - to document their mutual relations
- are saved
 - within the document (as a meta tag)
 - in assigned reference books (such as catalogs)
 - as an attribute which is held together with the document



Classification

- is a method to divide objects into categories or classes
- the division bases on the moulding of the objects common properties
- can be done
 - manually (categorising, sorting, indexing)
 - automatically (supervised learning)
- classification systems (divided by structure)

	mono-hierarchical	poly-hierarchical
heredity	single (strong hierarchy)	multiple (weak hierarchy)
superclasses	one	more than one
structure	tree	non-cyclic directed graph



Taxonomies

- are classification systems with mono-hierarchical structures
- to create a simple semantic
- the root contains general information
- when navigating through the tree structure from the root element on the information gets more and more specific



Thesauri

- are classification systems with poly-hierarchical structures
- are systematically ordered, networked collections of terms (a so-called "controlled vocabulary", that means a list of terms with an unambiguous, non-redundant definition that have been enumerated explicitly), connected via associative and parent-child relationships
- used to describe/represent topics, for subject indexing and/or document retrieval
- examples:
 - OpenThesaurus: <http://www.openthesaurus.de/>
 - UNESCO thesaurus: <http://databases.unesco.org/thesaurus/>



RDF (I)

- the Resource Description Framework (RDF) was developed as a foundation stone for the semantic web by the W3C in 1999
- it is a formal language for the provision of meta data via the WWW and defines a fundamental vocabulary to formulate arbitrary statements about resources
- a statement is a triple consisting of (in this order)
 - a subject
 - a predicate (property)
 - an object
 - -> a person (*subject*) has (*predicate*) a name (*object*)
 - all elements of a triple (the *resources*) are identified by a URI
 - an RDF document is a collection of linked statements



RDF (II)

- the predicate tells something about the subject
- the object is the value of the predicate; it can be a resource (identified by a URI) or just a literal (a constant value)
- predicates and objects can be subjects in different statements
- resources can be used for grouping, they don't have a name then (i.e. a name can be grouped in name and first name)
- statements can be subjects in another statement -> this is called a reification




RDF Graph

- is the standard development method for RDF
- is a labeled, directed, easy readable graph
- modeling:
 - subjects are modeled as a node in form of an ellipse
 - predicates are modeled as an arc
 - objects represented by a URI are modeled as a node in form of an ellipse
 - objects represented by a literal are modeled as a node in form of a box
 - resources used for grouping are modeled as blank nodes (these cannot be referenced)
- SPARQL (SPARQL Protocol and RDF Query Language) is a W3C query language recommendation for RDF graphs
 - <http://www.w3.org/TR/rdf-sparql-query/>




RDF Graph - Example

- there is a person identified by <http://www.w3.org/people/em/contact#me>, whose name is Eric Miller, whose email address is em@w3.org, and whose title is Dr.






Blank Nodes – Example (I)





Blank Nodes – Example (II)






Blank Nodes – Example (III)

<code>exstaff:85740</code>	<code>externs:address</code>	<code>exaddressid:85740 .</code>
<code>exaddressid:85740</code>	<code>externs:street</code>	<code>"1501 Grant Avenue" .</code>
<code>exaddressid:85740</code>	<code>externs:city</code>	<code>"Bedford" .</code>
<code>exaddressid:85740</code>	<code>externs:state</code>	<code>"Massachusetts" .</code>
<code>exaddressid:85740</code>	<code>externs:postalCode</code>	<code>"01730" .</code>



Typed Literals



exstaff:85740

exterms:age

"27"^^xsd:integer



RDF Syntax

- to implement RDF models two different syntaxes exist
 - N3 (Notation 3) by Tim Berners-Lee
 - <http://www.w3.org/DesignIssues/Notation3.html>
 - an XML based syntax which is the most used
 - <http://www.w3.org/TR/rdf-syntax-grammar/>



RDF Serialisation

- an RDF graph is encoded as XML elements, attributes, element content and attribute values
- URI references of predicates are written as a combination of a prefix denoting a namespace URI and a local element name (so-called XML QNames)
- URI references of subjects and objects are written as XML attribute values
- literal nodes (which are always object nodes) become XML element text content or attribute values



RDF Serialisation - Example

- there is a person identified by <http://www.w3.org/people/em/contact#me>, whose name is Eric Miller, whose email address is em@w3.org, and whose title is Dr.

```
- <?xml version="1.0"?>
```

```
<rdf:RDF xmlns:rdf="http://www.w3.org/1999/02/22-rdf-syntax-ns#"
        xmlns:contact="http://www.w3.org/2000/10/swap/pim/contact#">
  <contact:Person rdf:about="http://www.w3.org/People/EM/contact#me">
    <contact:fullName>Eric Miller</contact:fullName>
    <contact:mailbox rdf:resource="mailto:em@w3.org"/>
    <contact:personalTitle>Dr.</contact:personalTitle>
  </contact:Person>
</rdf:RDF>
```



Multiple Statements

- an RDF graph consisting of multiple statements can be represented using multiple description elements:

```
- <?xml version="1.0"?>
  <rdf:RDF xmlns:rdf="http://www.w3.org/1999/02/22-rdf-syntax-ns#"
    xmlns:dc="http://purl.org/dc/elements/1.1/"
    xmlns:exterms="http://www.example.org/terms/">
    <rdf:Description rdf:about="http://www.example.org/index.html">
      <exterms:creation-date>August 16, 1999</exterms:creation-date>
    </rdf:Description>
    <rdf:Description rdf:about="http://www.example.org/index.html">
      <dc:language>en</dc:language>
    </rdf:Description>
  </rdf:RDF>
```



Multiple Predicates

- a description element may also contain multiple predicates (predicates may even import more than one namespace):
 - ```
<?xml version="1.0"?>
 <rdf:RDF xmlns:rdf="http://www.w3.org/1999/02/22-rdf-syntax-ns#"
 xmlns:dc="http://purl.org/dc/elements/1.1/"
 xmlns:exterms="http://www.example.org/terms/">
 <rdf:Description rdf:about="http://www.example.org/index.html">
 <exterms:creation-date>August 16, 1999</exterms:creation-date>
 <dc:language>en</dc:language>
 <dc:creator
rdf:resource="http://www.example.org/staffid/85740"/>
 </rdf:Description>
 </rdf:RDF>
```




# Serialisation - Blank Nodes

- blank nodes are serialised using node identifiers

```
- <?xml version="1.0"?>
 <rdf:RDF xmlns:rdf="http://www.w3.org/1999/02/22-rdf-syntax-ns#"
 xmlns:dc="http://purl.org/dc/elements/1.1/"
 xmlns:externs="http://example.org/stuff/1.0/">
 <rdf:Description rdf:about="http://www.w3.org/TR/rdf-syntax-grammar">
 <dc:title>RDF/XML Syntax Specification (Revised)</dc:title>
 <externs:editor rdf:nodeID="abc"/>
 </rdf:Description>
 <rdf:Description rdf:nodeID="abc">
 <externs:fullName>Dave Beckett</externs:fullName>
 <externs:homePage rdf:resource="http://purl.org/net/dajobe/">
 </rdf:Description>
 </rdf:RDF>
```



# Serialisation: Typed Literals (I)







# Serialisation: Typed Literals (II)

- `<?xml version="1.0"?>`
  - `<rdf:RDF xmlns:rdf="http://www.w3.org/1999/02/22-rdf-syntax-ns#" xmlns:exterms="http://www.example.org/terms/">`
    - `<rdf:Description rdf:about="http://www.example.org/index.html">`
      - `<exterms:creation-date`
        - `rdf:datatype="http://www.w3.org/2001/XMLSchema#date">`
          - `1999-08-16</exterms:creation-date>`



# Using XML Entities

- ```
<?xml version="1.0"?>
  <!DOCTYPE rdf:RDF [<!ENTITY xsd "http://www.w3.org/2001/XMLSchema#">]>
  <rdf:RDF xmlns:rdf="http://www.w3.org/1999/02/22-rdf-syntax-ns#"
    xmlns:exterms="http://www.example.org/terms/">
    <rdf:Description rdf:about="http://www.example.org/index.html">
      <exterms:creation-date rdf:datatype="&xsd:date">1999-08-16
    </exterms:creation-date>
    </rdf:Description>
  </rdf:RDF>
```



RDF-Containers

- `rdf:Bag`
 - group of resources or literals, possibly including duplicate members, without order
- `rdf:Seq`
 - group of resources or literals, possibly including duplicate members, where the order of the members is significant
- `rdf:Alt`
 - group of resources or literals that are alternatives



RDF-Containers - Example

- ```
<?xml version="1.0"?>
 <rdf:RDF xmlns:rdf="http://www.w3.org/1999/02/22-rdf-syntax-ns#"
 xmlns:s="http://example.org/students/vocab#">
 <rdf:Description rdf:about="http://example.org/courses/6.001">
 <s:students>
 <rdf:Bag>
 <rdf:li rdf:resource="http://example.org/students/Amy"/>
 <rdf:li rdf:resource="http://example.org/students/Tom"/>
 <rdf:li rdf:resource="http://example.org/students/Jim"/>
 </rdf:Bag>
 </s:students>
 </rdf:Description>
 </rdf:RDF>
```



# Resources

- literature
  - Powers, S. (2003): Practical RDF. O'Reilly.
- specification
  - <http://www.w3.org/RDF/>
- validator
  - <http://www.w3.org/RDF/Validator/>
- RDF/XML syntax specification
  - <http://www.w3.org/TR/rdf-syntax-grammar/>